

Figure 1 Sample Network Schematic

DGGIGGT DGELCI

SNO	Descriptive Name	Type	Modem ID	IP Address	Type Modem ID IP Address Admin Status
-	Network Control Modem	Control	00×0	10 10.10.1	In Service
	Network receive Modem 1	Receive	0x01	10.10.10.2	In Service
3	Network receive Modem 2 Receive	Receive	0×02	10.10.10.3	10.10.10.3 Out of Service
		:			
:					

Figure 2

S. No.	Name	Contact	Remote	Remote IP	Remote IP Admin Status	Forward OoS Min	Forward QoS Max	Return QoS Min	Return QoS Max	Priority
			2	CC2 IDDU				20 1.4.4/2	CA Lhielo	,
	REMOTE 1	:	OxO	192.168.1.100	In Service	0 kbit/s			O4 KUIUS	-
-			-1				_	11.1.1.0	20 15:47	ď
C	DEMOTES	:	OXOB BOXOB	192 168 2 100	Call Barred	128 KDIVS	SAIGN 9C7		SZ KUIUS	
7			-1				-11.11	0 1.1.16	40 Lbit/o	•
2	PEMOTE 3	=	OXO	192.168 3.100	192,168 3,100 Out of Service	32 kbit/s	64 KDIVS	S KDIUS	10 KDIUS	-
)	וורואוס וב ס		1							
					:					
	:	:	:			-				
:										

Figure 3

ON	Channel	Channel	Hub Modem	Center	Data	Modulation	NEC O	Admin Status
; ;	Name		Assignment	Frea. (IF)	Rate			
-	TX 1	UVVU	00×0	L ¹	2 Mbit/s	QPSK	R=3/4	
- 0	BX 1	OxOA	00×0	12	32 kbit/s	QPSK	R=3/4	In Service
2 0	C XQ	OVOR	0x01	f ₁	64 kbit/s	QPSK	R=3/4	
7	2 00	2000	0×02	, 's	64 kbit/s	QPSK	R=3/4	
4 0	2 2	2000	2000	fr	128 kbit/s	QPSK	R=3/4	
0 4	DX 7	OXOF	0x04	fs	256 kbit/s	8PSK	R=2/3	In Service
	,	1000			:	:	:	;
:		::	J					

Figure 4

						_	_	_	_	_		-		7		
Comments		Ontrol	Shared outbound channel, assigned to itemory control	Modem	Woder:	Assigned to Remote CiM-xxx. Remote ID UXU1.	The state of the s	70300	LOCKEY.	Available		Available				
	Kemote	3	0			200	040	מייט	טארנו	מיטים	חארו	ر د د د د د	- 140			
L	T C		D-2/4	1012		7/010	1/2/1	770-0	1/2 1	7/070	1/0-1	7/0-0	10-1		:	
	Modulation		7000	くのよう		2000	に下めて	2000	Crux	2000	くりとつ	2000	CPUS			
	Data	Rate	77. 14. 0	Z MDIUS	-		64 kbit/s		64 kbit/s		128 kbit/s		128 kbit/s		:	
	Frequency	Offset		1,			٠,	2.		7	, s		پ			
	Channel	_		00x0	_		000	COYO	المرام	COYO	200	2000	עלט	2000		
	S. No.			-			c	7	(っ	_	t	ч	2		

Figure 5

						_	_		
Comments		Channel has been administratively removed and is no	longer available. If a Remote was using this channel, it will	have to immediately terminate.	D-3/2 Over A new channel has been added and is available.		4.11		
-	Kemote	Ó	O LXO	•	1170	3			
		1	1818		0.0-0	R=2/3			
	Modulation		QPSK		1000	SPSK	•		
		Kate	128 kbit/s			256 kbit/s			
	Frequency	Offset	fs			f34			
	S. No. Channel	₽	0x0			0x34			
	S. No.		-			0	1	:	

Figure 6